

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	14	configur\$6 same control\$4 same appliance and input same user same load same (power supply) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:16
L4	4	configur\$6 same control\$4 same appliance and (sense sensor) same user same load same (power supply) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:17
L5	1	configur\$6 with control\$4 with appliance and (sense sensor) same user same load same (power supply) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:18
L6	55	configur\$6 with control\$4 with appliance and (sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load appliance actuat\$4) and (power supply) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:33
L7	10	"700"/\$ and configur\$6 with control\$4 with appliance and (sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load appliance actuat\$4) and (power supply) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:42
L8	20	"340"/\$ and configur\$6 with control\$4 with appliance and (sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load appliance actuat\$4) and (power supply) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:33
L9	10	"700"/\$ and configur\$6 with control\$4 with appliance and (sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and (power supply) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:43

L10	18	"340"/\$ and configur\$6 with control\$4 with appliance and (sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and (power supply) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:52
L11	15	"340"/\$ and configur\$6 with control\$4 with appliance and (sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3 and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:56
L12	6	"700"/\$ and configur\$6 with control\$4 with appliance and (sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3 and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:53
L13	3	"345"/\$ and configur\$6 with control\$4 with appliance and (sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3 and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 18:57
L14	3	"715"/\$ and configur\$6 with control\$4 with appliance and (sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3 and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 19:09
L15	40	configur\$6 with control\$4 with appliance and (sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3 and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 19:12
L16	27	configur\$6 with control\$4 with appliance and control\$4 same ((sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 19:42

L17	1	"700"/\$ and configur\$6 with control\$4 with appliance and control\$4 same ((sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 19:13
L18	5	"340"/\$ and configur\$6 with control\$4 with appliance and control\$4 same ((sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 19:13
L19	3	"345"/\$ and configur\$6 with control\$4 with appliance and control\$4 same ((sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 19:13
L20	3	"715"/\$ and configur\$6 with control\$4 with appliance and control\$4 same ((sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 19:13
L21	27	hardware and configur\$6 with control\$4 with appliance and control\$4 same ((sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 19:18
L23	46	configur\$6 same control\$4 same appliance and (\$5control\$4 \$5processor) same ((sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 19:43

L24	12	(refrigerator washer dryer dishwasher) and configur\$6 same control\$4 same appliance and (\$5control\$4 \$5processor) same ((sense sensed sensing sensor) with input and user near3 (interface requirement data feedback) and (load actuat\$4) and power near2 suppl\$3) and (@ad<"20000107" @rlad<"20000107")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 19:45
-----	----	---	---	----	----	------------------